| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 4 | 3 | ((semiconductor near3 laser) and (semiconductor near3 chip) and (extinction near5 ratio) and polariz$6) and ((fiber) near6 (bench or mount or submount)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/03 09:29 |
| - | 79556 | semiconductor adj laser | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:46 |
| - | 66182 | semiconductor adj chip | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 14:27 |
| - | 779 | (semiconductor adj laser) and (semiconductor adj chip) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 14:28 |
| - | 67 | ((semiconductor adj laser) and (semiconductor adj chip)) and submount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 14:28 |
| - | 2 | (((semiconductor adj laser) and (semiconductor adj chip)) and submount) and ((polarization-maintain$) or PM) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 14:30 |
| - | 38454 | (polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 14:35 |
| - | 1035 | (semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode)))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 14:35 |
| - | 16 | ((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and submount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 14:36 |
| - | 29 | ((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and ferrule | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 14:36 |
| - | 547 | ((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 15:00 |

| | | | | |
|---|---|---|---|---|
| - | | 3 | (((((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule) and submount) and deform$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 15:04 |
| - | | 3 | ((((((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule) and submount) and deform$) and (semiconductor adj chip) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 15:05 |
| - | | 3 | ((((((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule) and submount) and deform$) and (semiconductor adj chip) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 15:06 |
| - | | 0 | (((((((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule) and submount) and deform$) and (semiconductor adj chip)) and bragg | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 15:07 |
| - | | 0 | (((((((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule) and submount) and deform$) and (semiconductor adj chip)) and diffraction | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 15:09 |
| - | | 0 | (((((((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule) and submount) and deform$) and (semiconductor adj chip)) and wedge | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 15:10 |
| - | | 2 | (((((((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule) and submount) and deform$) and (semiconductor adj chip)) and grating | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 15:10 |
| - | | 8 | ((((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule) and submount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/07 16:55 |

| | | | | |
|---|---:|---|---|---|
| - | 27 | (((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 09:42 |
| - | 5 | (((semiconductor adj laser) and ((polarization-maintain$) or (polarization near3 maintain$) or (polarization-preserv$) or (polarization near3 preserv$) or PM or ((high adj birefring$) near5 ((single-mode) or (single$1mode))))) and optic$ adj (fiber$)) and ferrule and bragg | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 09:20 |
| - | 6 | (5949801, 6108355, "6122301").pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 10:06 |
| - | 1006 | 372/20.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 10:06 |
| - | 391 | 385/93.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 10:07 |
| - | 643 | 385/92.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 10:07 |
| - | 0 | 372/3ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 14:42 |
| - | 206 | 372/3.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 14:42 |
| - | 164 | 372/3.ccls. and raman | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 14:43 |
| - | 56 | (372/3.ccls. and raman) and nm | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 14:43 |
| - | 2 | (372/3.ccls. and raman) and ("1400" adj nm) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 14:44 |

| - | 25 | 372/3.ccls. and ((14$2 or 15$2) adj nm) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/03/08 14:48 |
|---|---|---|---|---|
| - | 102667 | semiconductor near3 laser | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:46 |
| - | 109299 | semiconductor near3 chip | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:46 |
| - | 1116845 | fiber | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:46 |
| - | 3853 | extinction near5 ratio | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:47 |
| - | 187257 | polariz$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:47 |
| - | 43558 | bench | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:50 |
| - | 2 | (semiconductor near3 laser) and (semiconductor near3 chip) and fiber and (extinction near5 ratio) and polariz$6 and bench | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:48 |
| - | 2 | ((semiconductor near3 laser) and (semiconductor near3 chip) and fiber and (extinction near5 ratio) and polariz$6 and bench) and (method or process or manufactur$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:48 |
| - | 806445 | bench or mount or submount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:50 |
| - | 41 | (semiconductor near3 laser) and (semiconductor near3 chip) and fiber and (extinction near5 ratio) and polariz$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 11:51 |
| - | 11 | ((semiconductor near3 laser) and (semiconductor near3 chip) and fiber and (extinction near5 ratio) and polariz$6) and (bench or mount or submount) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/03 09:28 |